



HANSHIN TECHNOLOGY CO., LTD



▶ **Ø42mm Moon-fan tubing (3-Section Legs)**



▶ **HS-7010**

-  147cm
-  59cm
-  1256g
-  3-way panhead
-  Balance gauge
-  3-sections legs
-  Quick shoe
-  Compass
-  Dentation



▶ **HS-7012**

-  147cm
-  59cm
-  1299g
-  3-way panhead
-  Balance gauge
-  3-sections legs
-  Quick shoe
-  Compass
-  Dentation



▶ **HS-7011**

-  147cm
-  59cm
-  1278g
-  3-way panhead
-  Balance gauge
-  3-sections legs
-  Quick shoe
-  Compass
-  Dentation



▶ **HS-7001**

-  149cm
-  63cm
-  1480g
-  3-way panhead
-  Balance gauge
-  3-sections legs
-  Quick shoe
-  Compass
-  Dentation



Ø24.5mm Fan tubing (3-Section Legs)



► **HS-3781**

- 144cm
- 56cm
- 1015g
- 3-way panhead
- Balance gauge
- 3-sections legs
- Quick shoe
- Compass
- Dentation



► **HS-3703**

- 145cm
- 56cm
- 1056g
- 3-way panhead
- Balance gauge
- 3-sections legs
- Quick shoe
- Compass
- Dentation



► **HS-3782**

- 144cm
- 56cm
- 1034g
- 3-way panhead
- Balance gauge
- 3-sections legs
- Quick shoe
- Compass
- Dentation



► **HS-3709**

- 147cm
- 60cm
- 1257g
- 3-way panhead
- Balance gauge
- 3-sections legs
- Quick shoe
- Compass
- Dentation

Ø24.5mm Fan tubing (4-Section Legs)



► **HS-3713**

- | | | |
|---------------|---------------|-----------------|
| | | |
| 131cm | 45cm | 970g |
| | | |
| 3-way panhead | Balance gauge | 4-sections legs |
| | | |
| Quick shoe | Compass | Dentation |



► **HS-3705**

- | | | |
|---------------|---------------|-----------------|
| | | |
| 132cm | 45cm | 1006g |
| | | |
| 3-way panhead | Balance gauge | 4-sections legs |
| | | |
| Quick shoe | Compass | Dentation |



► **HS-3001**

- | | | |
|---------|-----------------|------|
| | | |
| 145cm | 50cm | 250g |
| | | |
| Ø24.5mm | 4-sections legs | |



► **HS-3707**

- | | | |
|---------------|---------------|-----------------|
| | | |
| 131cm | 45cm | 921g |
| | | |
| 3-way panhead | Balance gauge | 4-sections legs |
| | | |
| Quick shoe | Compass | Dentation |



► **HS-3711**

- | | | |
|---------------|---------------|-----------------|
| | | |
| 134cm | 49cm | 1213g |
| | | |
| 3-way panhead | Balance gauge | 4-sections legs |
| | | |
| Quick shoe | Compass | Dentation |



Ø21mm Fan tubing (3-Section Legs)



► **HS-3351**



► **HS-3327**



► **HS-5331**



► **HS-3352**



► **HS-3325**





Ø21mm Fan tubing (3-Section Legs)



► **HS-2431**



127cm 47cm 767g



2-way panhead Balance gauge 3-sections legs



Flat



► **HS-3224**



128cm 47cm 794g



3-way panhead Balance gauge 3-sections legs



Flat



► **HS-3225**



128cm 47cm 815g



3-way panhead Balance gauge 3-sections legs



Quick shoe

Flat



► **HS-368**



128cm 47cm 815g



3-way panhead Balance gauge 3-sections legs



Quick shoe

Flat



► **HS-369**



128cm 47cm 836g



3-way panhead Balance gauge 3-sections legs



Quick shoe

Flat




Mini Tripods



▶ **HS-850**



▶ **HS-85**



▶ **HS-700**



▶ **HS-1000**



▶ **HS-215**



▶ **HS-213**






Parts



▶ HS- 25



▶ HS-7891



▶ HS-7892



▶ HS-7893



▶ HS-777



▶ HS-888



▶ HS-999



▶ HS-7894




▶ HS-7895



▶ HS-7896



▶ HS-7897





Mini Tripods



▶ HS-101



▶ HS-102



▶ HS-103



▶ HS-104



▶ HS-105



▶ HS-106



▶ HS-107





Mini Tripods



▶ **HS-154**



▶ **HS-155**



▶ **HS-156**



▶ **HS-157**



▶ **HS-158**



▶ **HS-159**






▶ **HS-2181**



▶ **HS-2183**



▶ **HS-2185**



▶ **HS-2182**



▶ **HS-2184**



| Model NO. | Expand the length (CM) | Folding length (CM) | Weight (G) | Way | 3 ways / W/GEAR ELEVATOR | Balance the gauge | QUICK SHOE | Compass |
|-----------|------------------------|---------------------|------------|-----|--------------------------|-------------------|------------|---------|
| HS-7010 | 147 | 59 | 1256 | 3 | X | ○ | X | ○ |
| HS-7011 | 147 | 59 | 1278 | 3 | X | ○ | ○ | ○ |
| HS-7012 | 147 | 59 | 1299 | 3 | X | ○ | ○ | ○ |
| HS-7001 | 149 | 63 | 1493 | - | ○ | ○ | ○ | ○ |
| HS-3781 | 144 | 56 | 1015 | 3 | X | ○ | X | ○ |
| HS-3782 | 144 | 56 | 1034 | 3 | X | ○ | ○ | ○ |
| HS-3703 | 145 | 56 | 1056 | 3 | X | ○ | ○ | ○ |
| HS-3709 | 147 | 60 | 1257 | - | ○ | ○ | ○ | ○ |
| HS-3713 | 131 | 45 | 970 | 3 | X | ○ | X | ○ |
| HS-3707 | 131 | 45 | 987 | 3 | X | ○ | ○ | ○ |
| HS-3705 | 132 | 45 | 1006 | 3 | X | ○ | ○ | ○ |
| HS-3711 | 134 | 49 | 1213 | - | ○ | ○ | ○ | ○ |
| HS-3351 | 124 | 49 | 823 | 2 | X | ○ | X | X |
| HS-3352 | 124 | 49 | 825 | 2 | X | ○ | X | X |
| HS-3327 | 120 | 49 | 850 | 3 | X | ○ | X | X |
| HS-3325 | 125 | 50 | 873 | 3 | X | ○ | ○ | X |
| HS-5331 | 125 | 49 | 921 | 3 | X | ○ | ○ | X |
| HS-2431 | 127 | 47 | 767 | 2 | X | ○ | X | X |
| HS-3225 | 127 | 47 | 769 | 2 | X | X | X | X |
| HS-3224 | 128 | 47 | 794 | 3 | X | ○ | X | X |
| HS-368 | 128 | 47 | 815 | 3 | X | ○ | ○ | X |
| HS-369 | 128 | 47 | 836 | 3 | X | ○ | ○ | X |
| HS-850 | 13 | 16 | 257 | - | X | X | X | X |
| HS-85 | 10 | 11 | 106 | - | X | X | X | X |
| HS-700 | 18 | 19 | 208 | - | X | X | X | X |
| HS-1000 | 11 | 12 | 51 | - | X | X | X | X |
| HS-215 | 10 | 13 | 39 | - | X | X | X | X |
| HS-213 | 11 | 14 | 49 | - | X | X | X | X |
| HS-101 | 17 | 16 | 106 | - | X | X | X | X |
| HS-102 | 7/14 | 17 | 132 | - | X | X | X | X |
| HS-103 | 31 | 20 | 206 | - | X | X | X | X |
| HS-104 | 17 | 16 | 104 | - | X | X | X | X |
| HS-105 | 17 | 16 | 104 | - | X | X | X | X |
| HS-106 | 17 | 16 | 104 | - | X | X | X | X |
| HS-107 | 17 | 16 | 106 | - | X | X | X | X |
| HS-154 | 98 | 27 | 447 | - | X | X | X | X |
| HS-155 | 98 | 27 | 447 | - | X | X | X | X |
| HS-156 | 98 | 27 | 447 | - | X | X | X | X |
| HS-157 | 98 | 27 | 447 | - | X | X | X | X |

| Model NO. | Expand the length (CM) | Folding length (CM) | Weight (G) | Way | 3 ways / W/GEAR ELEVATOR | Balance the gauge | QUICK SHOE | Compass |
|-----------|------------------------|---------------------|------------|-----|--------------------------|-------------------|------------|---------|
| HS-158 | 98 | 27 | 447 | - | X | X | X | X |
| HS-159 | 98 | 27 | 447 | - | X | X | X | X |
| HS-2181 | 105 | 41 | 662 | 2 | X | ○ | X | X |
| HS-2182 | 105 | 41 | 662 | 2 | X | ○ | X | X |
| HS-2183 | 105 | 41 | 662 | 2 | X | ○ | X | X |
| HS-2184 | 105 | 41 | 662 | 2 | X | ○ | X | X |
| HS-2185 | 105 | 41 | 662 | 2 | X | ○ | X | X |
| HS-2171 | 94 | 38 | 575 | 2 | X | X | X | X |
| HS-2172 | 95 | 38 | 582 | 2 | X | ○ | X | X |
| HS-2173 | 95 | 38 | 585 | 2 | X | X | X | X |
| HS-2174 | 95 | 38 | 609 | 3 | X | ○ | X | X |
| HS-2175 | 94 | 39 | 627 | 3 | X | ○ | ○ | X |
| HS-2225 | 109 | 39 | 684 | 2 | X | X | X | X |
| HS-2226 | 109 | 39 | 685 | 2 | X | ○ | X | X |
| HS-2217 | 109 | 40 | 695 | 2 | X | X | X | X |
| HS-2220 | 110 | 39 | 715 | 3 | X | ○ | X | X |
| HS-268 | 110 | 40 | 733 | 3 | X | ○ | ○ | X |
| HS-2332 | 121 | 46 | 693 | 2 | X | X | X | X |
| HS-2216 | 121 | 47 | 704 | 2 | X | ○ | X | X |
| HS-2215 | 120 | 47 | 705 | 2 | X | X | X | X |
| HS-167 | 120 | 48 | 728 | 3 | X | ○ | X | X |
| HS-168 | 120 | 47 | 750 | 3 | X | ○ | ○ | X |
| HS-5319 | 118 | 49 | 757 | 2 | X | ○ | X | X |
| HS-5320 | 118 | 49 | 761 | 2 | X | ○ | X | X |
| HS-2315 | 123 | 49 | 786 | 3 | X | ○ | X | X |
| HS-2317 | 124 | 49 | 807 | 3 | X | ○ | ○ | X |
| HS-5321 | 125 | 49 | 826 | 3 | X | ○ | ○ | X |
| HS-2309 | 128 | 44 | 947 | 3 | X | ○ | X | ○ |
| HS-2303 | 128 | 44 | 975 | 3 | X | ○ | ○ | ○ |
| HS-2302 | 128 | 45 | 991 | 3 | X | ○ | ○ | ○ |
| HS-2307 | 130 | 49 | 1185 | - | ○ | ○ | ○ | ○ |
| HS-2361 | 142 | 56 | 1002 | 3 | X | ○ | X | ○ |
| HS-2362 | 142 | 56 | 1025 | 3 | X | ○ | ○ | ○ |
| HS-2301 | 142 | 56 | 1044 | 3 | X | ○ | ○ | ○ |
| HS-2305 | 144 | 60 | 1239 | 3 | X | ○ | ○ | ○ |
| HS-2371 | 145 | 58 | 1207 | 3 | X | ○ | X | ○ |
| HS-2372 | 145 | 59 | 1229 | 3 | X | ○ | ○ | ○ |
| HS-2373 | 146 | 59 | 1248 | 3 | X | ○ | ○ | ○ |
| HS-2374 | 148 | 63 | 1450 | - | ○ | ○ | ○ | ○ |

CARBON FIBRE TRIPODS

| Model NO. | NO. OF LEG SECTIOND | DIAMETER OF TOP LEG (MM) | MAX HEIGHT(CM) | Expand the length (CM) | MINI HEIGHT (CM) | Folding length (CM) | Weight (G) |
|-----------|---------------------|--------------------------|----------------|------------------------|------------------|---------------------|------------|
| HS-8001 | 3 | 20 | 111.6 | 136.3 | 48.8 | 52.5 | 920 |
| HS-9001 | 3 | 24 | 126.3 | 148.5 | 54 | 58 | 1170 |
| HS-2000 | 4 | 24 | - | 145 | - | 47 | 340 |

ALUMINIUM ALLOY TRIPODS

| Model NO. | NO. OF LEG SECTIOND | DIAMETER OF TOP LEG (MM) | MAX HEIGHT(CM) | Expand the length (CM) | MINI HEIGHT (CM) | Folding length (CM) | Weight (G) |
|-----------|---------------------|--------------------------|----------------|------------------------|------------------|---------------------|------------|
| HS-8002 | 3 | 20 | 112.6 | 137.3 | 48.5 | 52.5 | 1007 |
| HS-9002 | 3 | 24 | 123.8 | 146 | 53 | 57.5 | 1470 |
| HS-2001 | 4 | 24 | - | 145 | - | 46 | 490 |

SPECIFICATIONS

| Model NO. | DIAMETER (MM) | LENGTH(MM) | DEPTH (MM) | HEIGHT(MM) | NET WEIGHT(KG) | MAX LOAD(KG) | BOTTOM SCREW |
|-----------|---------------|------------|------------|------------|----------------|--------------|--------------|
| HS-3000 | 36 | 105.6 | 64 | 93 | 0.29 | 8 | "3/8"-16" |
| HS-3001 | 44 | 112.5 | 71.8 | 105.4 | 0.52 | 12 | "3/8"-16" |
| HS-3002 | 54 | 120 | 85 | 128.6 | 0.7 | 18 | "3/8"-16" |

| Model NO. | NO. OF LEG SECTIOND | DIAMETER OF TOP LEG (MM) | Expand the length (CM) | Folding length (CM) | Weight (G) | CARRING HANDY | HOOK |
|-----------|---------------------|--------------------------|------------------------|---------------------|------------|---------------|------|
| HS-7023 | 4 | 16.8 | 106 | 38.5 | 560 | X | X |
| HS-7025 | 4 | 16.8 | 106 | 35.5 | 500 | X | X |
| HS-7008 | 3 | 19.5 | 145 | 57 | 970 | O | O |
| HS-7009 | 3 | 23 | 157 | 61 | 1240 | O | O |
| HS-7010 | 3 | 26 | 170 | 65 | 1400 | O | O |

BAGS

| Model NO. | material | length (CM) | DEPTH (CM) | heigh(CM) | Weight (G) |
|-----------|------------|-------------|------------|-----------|------------|
| HS-123 | EVA | 9 | 5.5 | 12 | 89 |
| HS-124 | EVA | 9 | 6 | 12 | 89 |
| HS-125 | EVA | 9 | 6 | 12 | 67 |
| HS-131 | EVA | 9 | 6 | 14 | 86 |
| HS-132 | EVA | 9 | 6 | 14 | 86 |
| HS-133 | EVA | 9 | 6 | 14 | 86 |
| HS-126 | EVA | 8 | 3.5 | 11 | 54 |
| HS-127 | EVA | 8 | 3.5 | 11 | 43 |
| HS-128 | EVA | 8 | 4.5 | 11 | 63 |
| HS-134 | EVA | 8 | 5.5 | 14 | 57 |
| HS-135 | EVA | 7.5 | 5.5 | 15 | 88 |
| HS-136 | EVA | 9 | 6 | 12 | 67 |
| HS-91 | CRAVENETTE | 8 | 5 | 11 | 38 |
| HS-92 | CRAVENETTE | 8 | 5 | 11 | 38 |
| HS-93 | CRAVENETTE | 8 | 4 | 13 | 43 |
| HS-94 | CRAVENETTE | 8 | 4 | 13 | 43 |
| HS-87 | PUC | 10 | 4 | 9 | 37 |
| HS-89 | PUC | 10 | 4 | 9 | 37 |
| HS-90 | NYLON | 9 | 4.5 | 12 | 42 |
| HS-180 | NYLON | 12 | 8 | 16 | 106 |
| HS-270 | NYLON | 17 | 10 | 14 | 262 |
| HS-120 | NYLON | 20 | 12 | 12 | 139 |
| HS-280 | NYLON | 20 | 13 | 17 | 261 |
| HS-290 | NYLON | 15 | 16 | 18 | 484 |
| HS-300 | NYLON | 29 | 18 | 17 | 565 |



Clean



▶ HS-8891



▶ HS-8892



▶ HS-8893




▶ HS-8894



▶ HS-8895



▶ HS-8896



▶ HS-8897



▶ HS-8898





▶ HS-6891



▶ HS-6892



▶ HS-6893



▶ HS-6894



▶ HS-6895



▶ HS-6896



▶ HS-6897



▶ HS-6898



▶ HS-6899



▶ HS-6901



▶ HS-6902



▶ HS-6903



Digital camera bag



▶ **HS-123**

- Material:EVA
- Size:length:9 cm
width:5.5 cm
height:12 cm
- Weight:89 g



▶ **HS-124**

- Material:EVA
- Size:length:9 cm
width:5.5 cm
height:12 cm
- Weight:89 g



▶ **HS-125**

- Material:EVA
- Size:length:9 cm
width:6 cm
height:12 cm
- Weight:67 g



▶ **HS-131**

- Material:EVA
- Size:length:9 cm
width:6 cm
height:14 cm
- Weight:86 g



▶ **HS-132**

- Material:EVA
- Size:length:9 cm
width:6 cm
height:14 cm
- Weight:86 g



▶ **HS-133**

- Material:EVA
- Size:length:9 cm
width:6 cm
height:14 cm
- Weight:86 g



▶ **HS-126**

- Material:EVA
- Size:length:8 cm
width:3.5 cm
height:11 cm
- Weight:54 g



▶ **HS-127**

- Material:EVA
- Size:length:8 cm
width:3.5 cm
height:11 cm
- Weight:43 g



▶ **HS-128**

- Material:EVA
- Size:length:8 cm
width:4.5 cm
- Weight:63 g



▶ **HS-134**

- Material:EVA
- Size:length:8 cm
width:5.5 cm
height:14 cm
- Weight:57 g



▶ **HS-135**

- Material:EVA
- Size:length:7.5 cm
width:5.5 cm
height:15 cm
- Weight:88 g



▶ **HS-136**

- Material:EVA
- Size:length:9 cm
width:6 cm
height:12 cm
- Weight:67 g



Digital camera bag



▶ HS- 87

- Material:PUC
- Size:length:10 cm
width:4 cm
height:9 cm
- Weight:37 g



▶ HS- 89

- Material:PUC
- Size:length:10 cm
width:4 cm
height:9 cm
- Weight:37 g



▶ HS- 90

- Material:Nylon
- Size:length:9 cm
width:4.5 cm
height:12 cm
- Weight:42 g



▶ HS- 91

- Material: CRAVENETTE
- Size:length:8 cm
width:5 cm
height:11 cm
- Weight:38 g



▶ HS- 92

- Material: CRAVENETTE
- Size:length:8 cm
width:5 cm
height:11 cm
- Weight:38 g



▶ HS- 93

- Material: CRAVENETTE
- Size:length:8 cm
width:4 cm
height:13 cm
- Weight:43 g



▶ HS- 94

- Material: CRAVENETTE
- Size:length:8 cm
width:4 cm
height:13 cm
- Weight:43 g



Digital camera bag



▶ HS-180

- Material: Nylon
- Size: length: 12 cm
width: 8 cm
height: 16 cm
- Weight: 37 g



▶ HS-270

- Material: Nylon
- Size: length: 17 cm
width: 10 cm
height: 14 cm
- Weight: 262 g



▶ HS-120

- Material: Nylon
- Size: length: 20 cm
width: 12 cm
height: 12 cm
- Weight: 139 g



▶ HS-280

- Material: Nylon
- Size: length: 20 cm
width: 13 cm
height: 17 cm
- Weight: 261 g



▶ HS-290

- Material: Nylon
- Size: length: 15 cm
width: 16 cm
height: 18 cm
- Weight: 484 g



▶ HS-300

- Material: Nylon
- Size: length: 29 cm
width: 18 cm
height: 17 cm
- Weight: 565 g

Carbon Fibre tripods / Aluminium alloy tripods



▶ **HS-3000**

▶ **HS-3001**

▶ **HS-3002**

- Diameter: 44mm
- Size: length: 112.5 mm
depth: 71.8 cm
height: 105.4 cm
- Weight: 0.52 kg
- Max load: 12 kg
- Bottom Screw: 3/8"-16



▶ **HS-2000**

▶ **HS-2001**



▶ **HS-8001**

▶ **HS-8002**



▶ **HS-9001**

▶ **HS-9002**



Tripods



▶ **HS-7023**

| | | |
|---------------|---------------|-----------------|
| | | |
| 108cm | 38.5cm | 560g |
| | | |
| 3-way panhead | Balance gauge | 4-sections legs |
| | | |
| Quick shoe | ∅16.8mm | Flat |



▶ **HS-7025**

| | | |
|---------------|---------------|-----------------|
| | | |
| 108cm | 35.5cm | 500g |
| | | |
| 3-way panhead | Balance gauge | 4-sections legs |
| | | |
| Quick shoe | ∅16.8mm | Flat |



▶ **HS-7008**

| | | |
|---------------|-----------------|-----------------|
| | | |
| 145cm | 57cm | 970g |
| | | |
| 3-way panhead | 2-Balance gauge | 3-sections legs |
| | | |
| Quick shoe | ∅19.5mm | Dentation |



▶ **HS-7009**

| | | |
|---------------|-----------------|-----------------|
| | | |
| 157cm | 61cm | 1240g |
| | | |
| 3-way panhead | 2-Balance gauge | 3-sections legs |
| | | |
| Quick shoe | ∅23mm | Dentation |



▶ **HS-7007**

| | | |
|---------------|-----------------|-----------------|
| | | |
| 170cm | 85cm | 1400g |
| | | |
| 3-way panhead | 2-Balance gauge | 3-sections legs |
| | | |
| Quick shoe | ∅28.5mm | Dentation |

Ø 16.8mm Double tubing (3-Section Legs)



▶ **HS-2171**

-  94cm
-  38cm
-  575g
-  2-way panhead
-  3-sections legs
-  Flat



▶ **HS-2173**

-  95cm
-  38cm
-  582g
-  2-way panhead
-  3-sections legs
-  Flat



▶ **HS-2175**

-  94cm
-  39cm
-  627g
-  3-way panhead
-  Balance gauge
-  3-sections legs
-  Quick shoe
-  Flat



▶ **HS-2172**

-  95cm
-  38cm
-  582g
-  2-way panhead
-  Balance gauge
-  3-sections legs
-  Flat



▶ **HS-2174**

-  95cm
-  38cm
-  609g
-  3-way panhead
-  3-sections legs
-  Flat
-  Compass





Ø20mm Double tubing (4-Section Legs)



▶ **HS-2225**



109cm



39cm



684g



2-way
panhead



4-sections
legs



Flat



▶ **HS-2217**



109cm



40cm



695g



2-way
panhead



4-sections
legs



Flat



▶ **HS-268**



110cm



40cm



733g



3-way
panhead



Balance
gauge



4-sections
legs



Quick
shoe



Flat




▶ **HS-2226**



109cm



39cm



685g



2-way
panhead



Balance
gauge



4-sections
legs



Flat




▶ **HS-2220**



110cm



39cm



715g



3-way
panhead



Balance
gauge



4-sections
legs



Flat



Ø20mm Double tubing (3-Section Legs)



▶ **HS-2332**



▶ **HS-2215**



▶ **HS-168**



▶ **HS-2216**



▶ **HS-167**



Ø20mm Double tubing (3-Section Legs)



▶ **HS-5320**



▶ **HS-2317**



▶ **HS-5319**



▶ **HS-2315**



▶ **HS-5321**



Ø23mm Double tubing (4-Section Legs)



▶ HS-2309

-  128cm
-  44cm
-  807g
-  3-way panhead
-  Balance gauge
-  4-sections legs
-  DentatorCompass
- 



▶ HS-2302

-  128cm
-  45cm
-  991g
-  3-way panhead
-  Balance gauge
-  4-sections legs
-  Quick shoe
-  DentatorCompass



▶ HS-2001

-  145cm
-  50cm
-  246g
-  Ø23mm
-  4-sections legs



▶ HS-2303

-  128cm
-  44cm
-  975g
-  3-way panhead
-  Balance gauge
-  4-sections legs
-  Quick shoe
-  DentatorCompass



▶ HS-2307

-  130cm
-  45cm
-  118.5g
-  3-way panhead
-  Balance gauge
-  4-sections legs
-  Quick shoe
-  DentatorCompass





Ø23mm Double tubing (3-Section Legs)



▶ HS-2361

| | | |
|---------------|---------------|-----------------|
| | | |
| 142cm | 56cm | 1002g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Dentation | Compass | |



▶ HS-2301

| | | |
|---------------|---------------|-----------------|
| | | |
| 142cm | 56cm | 1044g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Quick shoe | Dentation | Compass |



▶ HS-2362

| | | |
|---------------|---------------|-----------------|
| | | |
| 142cm | 56cm | 1025g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Quick shoe | Dentation | Compass |



▶ HS-2305

| | | |
|---------------|---------------|-----------------|
| | | |
| 144cm | 60cm | 1239g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Quick shoe | Dentation | Compass |



Ø40.5mm Moon-Double tubing (3-Section Legs)



▶ HS-2371

| | | |
|----------------|-------------------|-----------------|
| | | |
| 145cm | 58cm | 1207g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Dentation shoe | Dentation Compass | |



▶ HS-2373

| | | |
|---------------|-------------------|-----------------|
| | | |
| 146cm | 59cm | 1248g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Quick shoe | Dentation Compass | |



▶ HS-2372

| | | |
|---------------|-------------------|-----------------|
| | | |
| 145cm | 59cm | 1229g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Quick shoe | Dentation Compass | |



▶ HS-2374

| | | |
|---------------|-------------------|-----------------|
| | | |
| 148cm | 63cm | 1450g |
| | | |
| 3-way panhead | Balance gauge | 3-sections legs |
| | | |
| Quick shoe | Dentation Compass | |





TEL. 886-4-2470-1147 / 886-4-2470-1125 / FAX.886-4-2470-1061
AD. 889-1,Sec.4 Huang chung Rd. Nan Tun District Taichung, Taiwan 408
E-mail.ylpi@ms23.hinet.net / ylpi.tripods@msa.hinet.net
web.www.tripods.com.tw

